

BROMIC
REFRIGERATION

Confidence and control.

Medical Range 2022



Medical Refrigeration

Integrated lock keeps products secure

Audible safety alarm sounds should the temperature of the unit fall or rise outside the set Min/Max recording

Evaporator protection cover prevents product from being damaged

Rollers for easy placement

Adjustable legs for leveling



MED0220GD-NR

BROMIC MediFridge®

Fan-assisted to keep
even temperature
cooling throughout
the unit

BMS dry contact
point

LED Light maximises
product visibility

Double glazed
safety glass
increases energy
efficiency

Door open
alarm

PVC coated
elevated bottom
shelf for consistent
temperature airflow



MED0374GD-NR



MED0140GD-NR

Medical Refrigeration

Bromic's Pharmacy Guild approved MediFridge range, allows for safe temperature control on all shelves for reliable storage of vaccines, vitamins and other sensitive products.



Complies to
QCPP
Standards



Green Cooling

MediFridge™ 145L Vaccine Display Chiller

MED0140GD-NR

PART NO.	CAPACITY	WEIGHT
3736257	145L	40KG
	EXTERNAL (MM)	INTERNAL (MM)
WIDTH	595	491
DEPTH	595	510
HEIGHT	820	687

- Self-closing door
- Min/max temperature recording
- Factory installed lock with audible & visual alarm
- Adjustable PVC coated airflow shelving
- Fan-forced cooling system
- Digital thermostat
- Temperature range: +2 to +8°C

5 YEAR EXTRA CARE WARRANTY



Green Cooling

MediFridge™ 220L Upright Vaccine Display Chiller

MED0220GD-NR

PART NO.	CAPACITY	WEIGHT
3736217	220L	65KG
	EXTERNAL (MM)	INTERNAL (MM)
WIDTH	595	505
DEPTH	598	462
HEIGHT	1310	1025

- Self-closing door
- Min/max temperature recording
- Factory installed lock with audible & visual alarm
- Adjustable PVC coated airflow shelving
- Fan-forced cooling system
- Digital thermostat
- Temperature range: +2 to +8°C

5 YEAR EXTRA CARE WARRANTY



Green Cooling

MediFridge™ 372L Upright Vaccine Display Chiller

MED0374GD-NR

PART NO.	CAPACITY	WEIGHT
3736218	372L	81KG
	EXTERNAL (MM)	INTERNAL (MM)
WIDTH	595	505
DEPTH	598	462
HEIGHT	1840	1555

- Self-closing door
- Min/max temperature recording
- Factory installed lock with audible & visual alarm
- Adjustable PVC coated airflow shelving
- Fan-forced cooling system
- Digital thermostat
- Temperature range: +2 to +8°C

5 YEAR EXTRA CARE WARRANTY



Medi-Log II Digital Data Logger

350700051

- Meets Strive-for-Five guidelines and Department of Health recording interval requirements
- Simple one button operation to control all screens and functions
- Audible and on-screen alarms. Alarm set-points are preset to low 2°C and high 8°C (can be changed, if required)
- Time interval between readings 1 minute to 99 minutes
- 16,000 readings memory
- Free software to download and analyse all recorded data on your Windows computer (via USB cable)
- Includes glycol vial, 2 meter external probe and USB cable

Specifications

Model	MED0140GD-NR	MED0220GD-NR	MED0374GD-NR
Part Number	3736257-NR	3736217-NR	3736218-NR
Ext. Width (mm)	595	595	595
Ext. Depth (mm)	595 (635 inc handle)	598	598
Ext. Height (mm)	820	1310	1840
Capacity	145L	215L	372L
Temp. Range	+2 to 8°C	+2 to 8°C	+2 to 8°C
Plug Supplied	✓	✓	✓
Power Supply	10A	10A	10A
Features			
Internal Light	✓	✓	✓
Door Shape	Flat Glass	Flat Glass	Flat Glass
Feet Included	30mm feet at front. rollers at back	30mm feet at front. rollers at back	30mm feet at front. rollers at back
No. of Shelves inc. Base	4	4	6
Default Door Hinge	Right	Right	Right
Warranty			
Parts	5	5	5
Labour	5	5	5

Model	Medi-Log II
Part Number	35070050
Temp Range - Probe	-40°C to +85°C
Temp Range - Display	-30°C to +70°C
Memory Capacity	16,000 Readings (Estimated 55 Days with 5 minute recordings)
Time Interval	1 minute to 99 minutes
Accuracy	Between -20°C and +40°C = +/- 0.5°C Outside of this range = +/- 1.0°C
Start up Delay	Configurable from 0 to 6 hours
Control	One button to control all options
Power Source	AA sized 3.6V lithium battery - easy to replace
Battery Life	2 Years at 20°C with 15 minute recording time and no alarms
Packaging Dimensions	55mm(h) x 105mm (w) x 170mm (l)
Weight	320g
Alarm Type	Visual on LCD Screen and Audio
Accessories Included	Glycol vial, 2 meter external probe and USB cable
Software	Downloadable free software (suits Windows OS)

Peace of Mind Starts with Bromic

Bromic Extra Care is more than just a standard warranty, it's the additional peace-of-mind you get when you purchase any Bromic refrigeration product.

The Bromic Extra Care gives you a one-stop support service from Bromic experts. Most issues may be resolved in a single call. Where additional support is needed, a technician can be onsite within 4 hours*. Our nationwide coverage means help is never too far away when you need it.

Best of all Bromic Extra Care is free, it's simply part of your Bromic purchase. To log your call simply have your product serial number and call us on

1300 276 642

*Response times are subject to assessment of service requirements and location, contact us for details.



EXTRA CARE
WARRANTY SERVICE



BROMIC REFRIGERATION

10 Phiney Place, Ingleburn (Sydney)
NSW 2565 Australia
T. 1300 276 642

For further product information
bromicrefrigeration.com.au