

BROMIC
REFRIGERATION

Confidence and control.

Chest Freezer Range

Display | Storage | Ice Cream





Industry Leaders in Plug-in Commercial Refrigeration



Refrigeration Specialists

Since 1999, we have curated a range that spans the wide spectrum of plug-in refrigeration equipment to meet the needs of businesses in hospitality, retail, and healthcare sectors.



Expert Local Support

We offer a tailored equipment solution, taking into consideration your specific needs. We then connect you with a trusted local dealer who stocks the units you require.



Confident Compliance

Our in-house engineering team ensures that our products meet and exceed Australian standards and regulations, including MEPS, GEMS, RCM, Watermark, and others.



Energy Efficiency and Sustainability

We proudly lead the way with our Green Cooling initiative. All our ranges utilise natural refrigerants, which are highly energy-efficient and have a close to 0 GWP (Global Warming Potential).



Available Australia-wide

With a nationwide distribution network, we can deliver our refrigeration products to your door quickly and efficiently.



5 Year Extra Care Warranty Service

We offer a one-stop support service for your peace of mind, no matter where you are in Australia.

Legend



NON-PERISHABLE DRINKS



HOT FOODS



DAIRY PRODUCTS



ICE CREAM/GELATO



PERISHABLE PRODUCTS



FROZEN PRODUCTS



BAKERY/CONFECTIONERY



MEDICAL PRODUCTS

ICE TYPES



SOLID ICE



HOLLOW ICE



HALF-DICE ICE



FLAKE ICE







Chest Freezers

Bromic's Chest Freezers offer a reliable and cost-effective commercial freezing solution. Select from solid lid stainless steel chest freezers for back-of-house storage or glass lid options ideally suited for display and self-service use.

Display Chest Freezers

Our Display Chest Freezers are designed to make your products stand out, attracting customers and encouraging them to purchase. Choose from flat or angled glass tops, available in a wide range of volumes, all designed to effectively boost your sales.

The integrated lock and key system ensure that your merchandise remains secure, giving you peace of mind while the freezer is unattended

Built with corrosion-resistant construction, this display chest freezer is designed to last in demanding commercial environments

The heat-resistant tempered glass lid not only provides a clear view of the contents but also ensures safety during operation by staying cool to the touch

Includes PVC-coated display baskets to keep items organised and easily accessible for customers

Smooth curved sliding glass lids in an aluminum top frame open left and right and allow you to easily reach and see your merchandise



Equipped with castors, this freezer can be effortlessly moved and placed wherever you need it, making it convenient for rearranging your store layout or cleaning the area

Our freezer uses natural refrigerant, which not only helps you save on energy bills but also reduces your carbon footprint


The digital temperature display allows for quick and easy monitoring of the freezer's temperature

Can be decalced for maximum brand exposure, showcasing your logo and promotional messages - POA

The quick-drain plug simplifies the defrosting and cleaning process, saving you time and effort

High load limit maximises storage, allowing you to store a large quantity of merchandise efficiently





Display Chest Freezer (Curved Glass Top)


CF0200ATCG-NR

Part No.	Volume	Weight
3735301-NR	176L	57kg

	External (mm)	Internal (mm)	Packaged (mm)
Width	719	600	740
Depth	615	495	680
Height	949	708	980

- Temperature range: -22°C to -12°C
- Max ambient temp: 35°C
- 8 stars GEMS rating
- 4L1 climate class
- 2 baskets included
- Integrated lock system

5 YEAR EXTRA CARE WARRANTY



Display Chest Freezer (Curved Glass Top)

CF0300ATCG-NR


Part No.	Volume	Weight
3735302-NR	264L	70kg

	External (mm)	Internal (mm)	Packaged (mm)
Width	1010	890	1040
Depth	615	495	680
Height	949	708	980

- Temperature range: -22°C to -12°C
- Max ambient temp: 35°C
- 7 stars GEMS rating
- 4L1 climate class
- 4 baskets included
- Integrated lock system

5 YEAR EXTRA CARE WARRANTY






Display Chest Freezer (Curved Glass Top)

CF0400ATCG-NR

Part No.	Volume	Weight
3735303-NR	352L	81kg
	External (mm)	Internal (mm)
Width	1298	1180
Depth	615	495
Height	949	708
	Packaged (mm)	
	1330	680
	980	

- Temperature range: -22°C to -12°C
- Max ambient temp: 35°C
- 7 stars GEMS rating
- 4L1 climate class
- 5 baskets included
- Integrated lock system

5 YEAR EXTRA CARE WARRANTY



SPECIAL ORDER


Display Chest Freezer (Curved Glass Top)

CF0500ATCG-NR

Part No.	Volume	Weight
3736203-NR	427L	96kg
	External (mm)	Internal (mm)
Width	1548	1430
Depth	615	495
Height	949	708
	Packaged (mm)	
	1585	680
	980	

- Temperature range: -22°C to -12°C
- Max ambient temp: 35°C
- 6 stars GEMS rating
- 4L1 climate class
- 6 baskets included
- Integrated lock system

5 YEAR EXTRA CARE WARRANTY



SPECIAL ORDER

Display Chest Freezer (Curved Glass Top)


CF0600ATCG-NR

Part No.	Volume	Weight
3736204-NR	555L	114kg

	External (mm)	Internal (mm)	Packaged (mm)
Width	1750	1630	1790
Depth	615	495	680
Height	949	708	980

- Temperature range: -22°C to -12°C
- Max ambient temp: 35°C
- 6 stars GEMS rating
- 4L1 climate class
- 6 baskets included
- Integrated lock system

5 YEAR EXTRA CARE WARRANTY



Display Chest Freezer (Flat Glass Top)

CF0200FTFG-NR


Part No.	Volume	Weight
3735308-NR	191L	58kg

	External (mm)	Internal (mm)	Packaged (mm)
Width	719	600	740
Depth	629	510	680
Height	892	663	950

- Temperature range: -22°C to -12°C
- Max ambient temp: 35°C
- 8 stars GEMS rating
- 4L1 climate class
- 2 baskets included
- Integrated lock system

5 YEAR EXTRA CARE WARRANTY






Display Chest Freezer (Flat Glass Top)

CF0300FTFG-NR

	Part No.	Volume	Weight
	3735309-NR	296L	70kg
	External (mm)	Internal (mm)	Packaged (mm)
Width	1010	890	1040
Depth	629	510	680
Height	892	663	950

- Temperature range: -22°C to -12°C
- Max ambient temp: 35°C
- 7 stars GEMS rating
- 4L1 climate class
- 4 baskets included
- Integrated lock system

5 YEAR EXTRA CARE WARRANTY



Display Chest Freezer (Flat Glass Top)


CF0400FTFG-NR

	Part No.	Volume	Weight
	3735310-NR	401L	80kg
	External (mm)	Internal (mm)	Packaged (mm)
Width	1298	1180	1330
Depth	629	510	680
Height	892	663	950

- Temperature range: -22°C to -12°C
- Max ambient temp: 35°C
- 7 stars GEMS rating
- 4L1 climate class
- 5 baskets included
- Integrated lock system

5 YEAR EXTRA CARE WARRANTY






Display Chest Freezer (Flat Glass Top)

CF0500FTFG-NR

Part No.	Volume	Weight	
3735304-NR	491L	101kg	
.....			
	External (mm)	Internal (mm)	Packaged (mm)
Width	1548	1430	1585
Depth	629	510	680
Height	892	663	950

- Temperature range: -22°C to -12°C
- Max ambient temp: 35°C
- 6 stars GEMS rating
- 4L1 climate class
- 6 baskets included
- Integrated lock system

5 YEAR EXTRA CARE WARRANTY



Display Chest Freezer (Flat Glass Top)

CF0700FTFG-NR

Part No.	Volume	Weight	
3735305-NR	670L	120kg	
.....			
	External (mm)	Internal (mm)	Packaged (mm)
Width	2055	1930	2095
Depth	629	510	680
Height	892	663	950


- Temperature range: -22°C to -12°C
- Max ambient temp: 35°C
- 7 stars GEMS rating
- 4L1 climate class
- 8 baskets included
- Integrated lock system

5 YEAR EXTRA CARE WARRANTY

Stainless Steel Chest Freezers


Our Solid Lid Chest Freezers feature energy-efficient performance, high-quality, food-grade stainless steel construction, and spacious storage, making them an ideal deep-freeze solution for commercial kitchens.



**Storage Chest Freezer (Stainless Steel Top)****CF0300FTSS-NR**

Part No.	Volume	Weight	
3735312-NR	296L	65kg	
	External (mm)	Internal (mm)	Packaged (mm)
Width	1012	890	1100
Depth	715	510	750
Height	903	682	1005


- Temperature range: -25°C to -15°C
- Max ambient temp: 35°C
- 8 stars GEMS rating
- 4L1 climate class
- 1 basket included
- Integrated lock system

5 YEAR EXTRA CARE WARRANTY**Storage Chest Freezer (Stainless Steel Top)****CF0500FTSS-NR**

Part No.	Volume	Weight	
3735307-NR	492L	94kg	

	External (mm)	Internal (mm)	Packaged (mm)
Width	1552	1430	1640
Depth	715	510	750
Height	903	682	1005

- Temperature range: -25°C to -15°C
- Max ambient temp: 35°C
- 9 stars GEMS rating
- 4L1 climate class
- 2 baskets included
- Integrated lock system

5 YEAR EXTRA CARE WARRANTY**Storage Chest Freezer (Stainless Steel Top)****CF0700FTSS-NR**

Part No.	Volume	Weight	
3735306-NR	675L	119kg	
	External (mm)	Internal (mm)	Packaged (mm)
Width	2055	1935	2145
Depth	715	510	750
Height	903	682	1005

- Temperature range: -25°C to -15°C
- Max ambient temp: 35°C
- 8 stars GEMS rating
- 4L1 climate class
- 3 baskets included
- Integrated lock system

5 YEAR EXTRA CARE WARRANTY

Ice Cream Display Freezer

A versatile display solution for your ice cream or gelato that can double as a chest freezer. Featuring a sliding glass lid, curved canopy and distinctive style, this unit is the perfect front-of-house ice cream or gelato display freezer.

The sliding lid minimises energy consumption by effectively preserving the cool temperature of the products on display

The tilted display with a curved canopy offers great visibility of the ice cream on display, while creating a physical barrier between ice cream and customers to ensure hygiene



Enjoy the convenience of 7 plastic 5L tubs included with the display freezer, providing ample storage space for a variety of ice cream and gelato flavors

Reduce your energy consumption and operating costs with an 8-star GEMS rating, while also minimising your environmental impact thanks to natural refrigerant

Castors make moving and positioning the display freezer in the most optimal spot a breeze

With included internal frame to accommodate baskets, this display freezer can also operate as a chest freezer when needed





Ice Cream Display Chest Freezer (Gelato)

GD0007S-NR

Part No.	Volume	Weight	• Temperature range: -22°C to -12°C • Max ambient temp: 35°C • 4L1 climate class • 7 tubs included • 8 star GEMS rating • Canopy for visibility and hygiene • Includes internal frame for baskets to operate as a chest freezer if needed • Sliding lid with Integrated lock system	
3735262-NR	352L	81kg		
	External (mm)	Internal (mm)		Packaged (mm)
Width	1298	1180		1348
Depth	615	495		665
Height	1296	708	1346	

5 YEAR EXTRA CARE WARRANTY



Model	CF0200ATCG-NR	CF0300ATCG-NR	CF0400ATCG-NR
Part Number	3735301-NR	3735302-NR	3735303-NR
External Width (mm)*	719	1010	1298
External Depth (mm)*	615	615	615
External Height (mm)*	949	949	949
Volume	176L	264L	352L
Unit Weight	57kg	70kg	81kg
Adjustable Temp. Range	-22°C to -12°C	-22°C to -12°C	-22°C to -12°C
Max. Ambient Temp.	35°C	35°C	35°C
Climate Class	4L1	4L1	4L1
Energy Consumption	1.298kWh/24h	2.236kWh/24h	2.645kWh/24h
GEMS Star Rating	8 stars	7 stars	7 stars
Refrigeration Capacity	190W	220W	300W
Rated Current	0.5A	0.96A	1.1A
Electrical Voltage	220-240V	220-240V	220-240V
Refrigerant	R600a	R290	R290
Frequency	50Hz	50Hz	50Hz
Power Supply	Single Phase	Single Phase	Single Phase
Power Plug	1 x 10A	1 x 10A	1 x 10A
Plug Location	Rear, bottom right	Rear, bottom right	Rear, bottom right
Features			
Cord Length	2m	2m	2m
Internal Light	No	No	No
Number of Lids	2	2	2
Lid Type	Glass	Glass	Glass
Lid Style	Sliding	Sliding	Sliding
Lid Shape	Curved	Curved	Curved
Lid Lock	Yes	Yes	Yes
Number of Baskets	2	4	5
Basket Dimensions	206(w) x 434(d) x 195(h) mm	206(w) x 434(d) x 195(h) mm	206(w) x 434(d) x 195(h) mm
Defrost System	Manual	Manual	Manual
Air Circulation	Static	Static	Static
Temp. Controller	Analogue controller, digital display	Analogue controller, digital display	Analogue controller, digital display
Feet / Castors	Yes	Yes	Yes
Colour	White	White	White
Warranty			
Parts & Labour (Years)	5	5	5
Bromic Extra Care	Yes	Yes	Yes



SPECIAL ORDER



SPECIAL ORDER



Model	CF0500ATCG-NR	CF0600ATCG-NR	CF0200FTFG-NR	CF0300FTFG-NR
Part Number	3736203-NR	3736204-NR	3735308-NR	3735309-NR
External Width (mm)*	1548	1750	719	1010
External Depth (mm)*	615	615	629	629
External Height (mm)*	949	949	892	892
Volume	427L	555L	191L	296L
Unit Weight	96kg	114kg	58kg	70kg
Adjustable Temp. Range	-22°C to -12°C	-22°C to -12°C	-22°C to -12°C	-22°C to -12°C
Max. Ambient Temp.	35°C	35°C	35°C	35°C
Climate Class	4L1	4L1	4L1	4L1
Energy Consumption	3.76kWh/24h	3.962kWh/24h	1.298kWh/24h	2.236kWh/24h
GEMS Star Rating	6 stars	6 stars	8 stars	7 stars
Refrigeration Capacity	400W	420W	190W	220W
Rated Current	1.4A	1.5A	0.54A	0.7A
Electrical Voltage	220-240V	220-240V	220-240V	220-240V
Refrigerant	R290	R290	R600a	R290
Frequency	50Hz	50Hz	50Hz	50Hz
Power Supply	Single Phase	Single Phase	Single Phase	Single Phase
Power Plug	1 x 10A	1 x 10A	1 x 10A	1 x 10A
Plug Location	Rear, bottom right	Rear, bottom right	Rear, bottom right	Rear, bottom right
Features				
Cord Length	2m	2m	2m	2m
Internal Light	No	No	No	No
Number of Lids	2	2	2	2
Lid Type	Glass	Glass	Glass	Glass
Lid Style	Sliding	Sliding	Sliding	Sliding
Lid Shape	Curved	Curved	Flat	Flat
Lid Lock	Yes	Yes	Yes	Yes
Number of Baskets	6	6	2	4
Basket Dimensions	206(w) x 434(d) x 195(h) mm	206(w) x 434(d) x 195(h) mm	205(w) x 432(d) x 202(h) mm	205(w) x 432(d) x 202(h) mm
Defrost System	Manual	Manual	Manual	Manual
Air Circulation	Static	Static	Static	Static
Temp. Controller	Analogue controller, digital display	Analogue controller, digital display	Analogue controller, digital display	Analogue controller, digital display
Feet / Castors	Yes	Yes	Yes	Yes
Colour	White	White	White	White
Warranty				
Parts & Labour (Years)	5	5	5	5
Bromic Extra Care	Yes	Yes	Yes	Yes



Model	CF0400FTFG-NR	CF0500FTFG-NR	CF0700FTFG-NR
Part Number	3735310-NR	3735304-NR	3735305-NR
External Width (mm)*	1298	1548	2055
External Depth (mm)*	629	629	629
External Height (mm)*	892	892	892
Volume	401L	491L	670L
Unit Weight	80kg	101kg	120kg
Adjustable Temp. Range	-22°C to -12°C	-22°C to -12°C	-22°C to -12°C
Max. Ambient Temp.	35°C	35°C	35°C
Climate Class	4L1	4L1	4L1
Energy Consumption	2.645kWh/24h	3.76kWh/24h	3.57kWh/24h
GEMS Star Rating	7 stars	6 stars	7 stars
Refrigeration Capacity	300W	400W	440W
Rated Current	0.7A	1.08A	1.73A
Electrical Voltage	220-240V	220-240V	220-240V
Refrigerant	R290	R290	R290
Frequency	50Hz	50Hz	50Hz
Power Supply	Single Phase	Single Phase	Single Phase
Power Plug	1 x 10A	1 x 10A	1 x 10A
Plug Location	Rear, bottom right	Rear, bottom right	Rear, bottom right
Features			
Cord Length	2m	2m	2m
Internal Light	No	No	No
Number of Lids	2	2	2
Lid Type	Glass	Glass	Glass
Lid Style	Sliding	Sliding	Sliding
Lid Shape	Flat	Flat	Flat
Lid Lock	Yes	Yes	Yes
Number of Baskets	5	6	8
Basket Dimensions	205(w) x 432(d) x 202(h) mm	205(w) x 432(d) x 202(h) mm	205(w) x 432(d) x 202(h) mm
Defrost System	Manual	Manual	Manual
Air Circulation	Static	Static	Static
Temp. Controller	Analogue controller, digital display	Analogue controller, digital display	Analogue controller, digital display
Feet / Castors	Yes	Yes	Yes
Colour	White	White	White
Warranty			
Parts & Labour (Years)	5	5	5
Bromic Extra Care	Yes	Yes	Yes



Model	CF0300FTSS-NR	CF0500FTSS-NR	CF0700FTSS-NR	GD0007S-NR
Part Number	3735312-NR	3735307-NR	3735306-NR	3735262-NR
External Width (mm)*	1012	1552	2055	1298
External Depth (mm)*	715	715	715	615
External Height (mm)*	903	903	903	1296
Volume	296L	492L	675L	352L
Unit Weight	65kg	94kg	119kg	81kg
Adjustable Temp. Range	-25°C to -15°C	-25°C to -15°C	-25°C to -15°C	-22°C to -12°C
Max. Ambient Temp.	35°C	35°C	35°C	35°C
Climate Class	4L1	4L1	4L1	4L1
Energy Consumption	1.652kWh/24h	2.085kWh/24h	3.18kWh/24h	3.99kWh/24h
GEMS Star Rating	8 stars	9 stars	8 stars	8 stars
Refrigeration Capacity	175W	400W	425W	300W
Rated Current	1.2A	0.77A	1.65A	2.3A
Electrical Voltage	220-240V	220-240V	220-240V	220-240V
Refrigerant	R290	R290	R290	R290
Frequency	50Hz	50Hz	50Hz	50Hz
Power Supply	Single Phase	Single Phase	Single Phase	Single Phase
Power Plug	1 x 10A	1 x 10A	1 x 10A	1 x 10A
Plug Location	Rear, bottom right	Rear, bottom right	Rear, bottom right	Compressor Compartment
Features				
Cord Length	2m	2m	2m	-
Internal Light	LED	LED	No	Fluorescent
Number of Lids	1	1	1	2
Lid Type	Solid	Solid	Solid	Glass
Lid Style	Hinged	Hinged	Hinged	Sliding
Lid Shape	Flat	Flat	Flat	Curved
Lid Lock or Door Lock	Yes	Yes	Yes	Yes
Number of Baskets/Tubs	1	2	3	7
Basket/Tubs Dimensions	205(w) x 432(d) x 200(h) mm	205(w) x 432(d) x 200(h) mm	205(w) x 432(d) x 200(h) mm	165(w) x 360(d) x 120(h) mm
Defrost System	Manual	Manual	Manual	Manual
Air Circulation	Static	Static	Static	Static
Temp. Controller	Analogue controller, digital display	Analogue controller, digital display	Analogue controller, digital display	Analogue
Feet / Castors	Yes	Yes	Yes	Yes
Colour	White	White	White	White
Warranty				
Parts & Labour (Years)	5	5	5	5
Bromic Extra Care	Yes	Yes	Yes	Yes

BROMIC REFRIGERATION

10 Phiney Place, Ingleburn (Sydney)
NSW 2565 Australia
T. 1300 276 642

For further product information
bromicrefrigeration.com.au

