BROMIC REFRIGERATION | Confidence and control.

Commercial Ice Machines

Self Contained Ice Machines |
Modular Ice Machines




DO NOT PRESS FROM THIS SIDE
PACKING DIMENSION (cm) :
WEIGHT WITH PACKING (kg) :
230 V 50 Hz

Industry Leaders in Plug-in Commercial Refrigeration

Refrigeration Specialists

Over 24 years, we have curated a range that spans the wide spectrum of plug-in refrigeration equipment to meet the needs of businesses in hospitality, retail, and healthcare sectors.

Expert Local Support

We offer a tailored equipment solution, taking into consideration your specific needs. We then connect you with a trusted local dealer who stocks the units you require.

Confident Compliance

Our in-house engineering team ensures that our products meet and exceed Australian standards and regulations, including MEPS, GEMS, RCM, Watermark, and others.

Energy Efficiency and Sustainability

We proudly lead the way with our Green Cooling initiative. 90% of our range utilises natural refrigerants, which are highly energy-efficient and have a close to 0 GWP (Global Warming Potential).

Available Australia-wide

With a nationwide distribution network, we can deliver our refrigeration products to your door quickly and efficiently.

5 Year Extra Care Warranty Service

We offer a one-stop support service for your peace of mind, no matter where you are in Australia.

Legend

- NON-PERISHABLE DRINKS
- DAIRY PRODUCTS
- PERISHABLE PRODUCTS
- BAKERY/CONFECTIONERY
- HOT FOODS
- ICE CREAM/GELATO
- FROZEN PRODUCTS
- MEDICAL PRODUCTS

ICE TYPES

- SOLID ICE
- HOLLOW ICE
- HALF-DICE ICE
- FLAKE ICE

5 YEAR EXTRA CARE WARRANTY

bromicrefrigeration.com.au


SKYY
VODKA
HAIG
CLUB
SIMAG
BROMIC



Commercial Ice Machines

Bromic’s range of commercial Ice Machines encompasses both self-contained and modular types, available in various sizes, production capacities, and ice styles to meet the diverse ice production requirements of the hospitality, retail, mining, and other industries.

Self Contained Ice Machines

Bromic's Self-contained Ice Machines provide a versatile and compact ice-making solution. With a range of ice style options, they boast a space-saving design, ideal for locations with limited space.



Retractable door minimises protrusion, perfect for tight space installations

Crystal-clear cubes for sterile cooling in various applications

Stainless steel construction for corrosion resistance and easy cleaning

Fully compliant with Australian safety standards and regulations


Electric PCB controller for easy settings adjustment and monitoring

5 Years Bromic Extra Care Warranty - Parts and Labour

Efficient cooling reduces ventilation clearance requirements for easier installation

Agion®-treated materials prevent bacteria growth for maximum hygiene





Self Contained 36kg Solid Cube Ice Machine

IM0036SSC-NR


Part No.	Production	Storage
3935382	36kg/24hr*	13kg

	External (mm)	Packaged (mm)
Width	485	550
Depth	575	640
Height	721*2	830

5 YEAR EXTRA CARE WARRANTY

- Max. ambient temp: 43°C
- Agion®-treated materials prevent bacteria growth for maximum hygiene
- Retractable door minimises protrusion, perfect for tight space installations
- Stainless steel construction for corrosion resistance and easy cleaning





Self Contained 50kg Solid Cube Ice Machine

IM0050SSC-NR


Part No.	Production	Storage
3935383	50kg/24hr*	18kg

	External (mm)	Packaged (mm)
Width	485	550
Depth	575	640
Height	816*2	940

5 YEAR EXTRA CARE WARRANTY

- Max. ambient temp: 43°C
- Agion®-treated materials prevent bacteria growth for maximum hygiene
- Retractable door minimises protrusion, perfect for tight space installations
- Stainless steel construction for corrosion resistance and easy cleaning





Self Contained 79kg Solid Cube Ice Machine

IM0079SSC-NR

Part No.	Production	Storage
3935385	79kg/24hr*	33kg


	External (mm)	Packaged (mm)
Width	670	740
Depth	595	670
Height	893	1070

5 YEAR EXTRA CARE WARRANTY

- Max. ambient temp: 43°C
- Agion®-treated materials prevent bacteria growth for maximum hygiene
- Retractable door minimises protrusion, perfect for tight space installations
- Stainless steel construction for corrosion resistance and easy cleaning

* Production is based on kg/24hr at 10°C air and 10°C Water
*2 External height excludes legs





Self Contained 134kg Solid Cube Ice Machine

IM0134SSC-NR


Part No.	Production	Storage
3935384	134kg/24hr*	50kg

	External (mm)	Packaged (mm)
Width	1042	1100
Depth	575	640
Height	892*2	1070

5 YEAR EXTRA CARE WARRANTY

- Max. ambient temp: 43°C
- Agion®-treated materials prevent bacteria growth for maximum hygiene
- Retractable door minimises protrusion, perfect for tight space installations
- Stainless steel construction for corrosion resistance and easy cleaning





Self Contained 18kg Hollow Cube Ice Machine

IM0018HC-NR


Part No.	Production	Storage
3935190	19kg/24hr*	4kg

	External (mm)	Packaged (mm)
Width	334	400
Depth	457	530
Height	554*2	660

5 YEAR EXTRA CARE WARRANTY

- Max. ambient temp: 43°C
- Agion®-treated materials prevent bacteria growth for maximum hygiene
- Retractable door minimises protrusion, perfect for tight space installations
- Stainless steel construction for corrosion resistance and easy cleaning





Self Contained 24kg Hollow Cube Ice Machine

IM0024HC-NR

Part No.	Production	Storage
3935191	25kg/24hr*	6kg


	External (mm)	Packaged (mm)
Width	334	400
Depth	457	530
Height	599*2	690

5 YEAR EXTRA CARE WARRANTY

- Max. ambient temp: 43°C
- Agion®-treated materials prevent bacteria growth for maximum hygiene
- Retractable door minimises protrusion, perfect for tight space installations
- Stainless steel construction for corrosion resistance and easy cleaning

* Production is based on kg/24hr at 10°C air and 10°C Water
*2 External height excludes legs





Self Contained 32kg Hollow Cube Ice Machine

IM0032HC-NR


Part No.	Production	Storage
3935192	32kg/24hr*	6kg

	External (mm)	Packaged (mm)
Width	334	400
Depth	457	530
Height	599*2	690

5 YEAR EXTRA CARE WARRANTY

- Max. ambient temp: 43°C
- Agion®-treated materials prevent bacteria growth for maximum hygiene
- Retractable door minimises protrusion, perfect for tight space installations
- Stainless steel construction for corrosion resistance and easy cleaning





Self Contained 50kg Hollow Cube Ice Machine

IM0050HC-NR

Part No.	Production	Storage
3935193	50kg/24hr*	17kg

	External (mm)	Packaged (mm)
Width	485	550
Depth	575	640
Height	810*2	840

5 YEAR EXTRA CARE WARRANTY

- Max. ambient temp: 43°C
- Agion®-treated materials prevent bacteria growth for maximum hygiene
- Retractable door minimises protrusion, perfect for tight space installations
- Stainless steel construction for corrosion resistance and easy cleaning

* Production is based on kg/24hr at 10°C air and 10°C Water
*2 External height excludes legs

Modular Ice Machines

Bromic's Modular Ice Machines are engineered for high-volume ice production needs. Their efficient cooling system ensures a steady ice supply even during peak demand.

Stainless steel construction for corrosion resistance and easy cleaning

Efficient cooling reduces ventilation clearance requirements for easier installation



Fully compliant with Australian safety standards and regulations

Electric PCB controller for easy settings adjustment and monitoring


Head Only, Suitable storage bin: SB178, SB243, SB406. Sold separately.

Economical half-dice ice suits blending and general purpose use

5 Years Bromic Extra Care Warranty - Parts and Labour

Agion®-treated materials prevent bacteria growth for maximum hygiene







Modular 160kg Half-Dice Ice Machines

IM0160HDM


Part No.	Production	Weight
3935183	160kg/24hr*	55kg

	External (mm)	Packaged (mm)
Width	558	620
Depth	610	680
Height	609	800

5 YEAR EXTRA CARE WARRANTY

- Max. ambient temp: 40°C
- Agion®-treated materials prevent bacteria growth for maximum hygiene
- Stainless steel construction for corrosion resistance and easy cleaning
- Compatible Ice Storage Bin: SB129, SB178, SB243





Modular 250kg Half-Dice Ice Machines

IM0250HDM

Part No.	Production	Weight
3935185	250kg/24hr*	65kg


	External (mm)	Packaged (mm)
Width	558	620
Depth	610	680
Height	610	800


5 YEAR EXTRA CARE WARRANTY

- Max. ambient temp: 40°C
- Agion®-treated materials prevent bacteria growth for maximum hygiene
- Stainless steel construction for corrosion resistance and easy cleaning
- Compatible Ice Storage Bin: SB129, SB178, SB243

* Production is based on kg/24hr at 10°C air and 10°C Water







Modular 320kg Half-Dice Ice Machines

IM0320HDM


Part No.	Production	Weight
3935187	320kg/24hr*	73kg


	External (mm)	Packaged (mm)
Width	760	830
Depth	620	690
Height	575	770

5 YEAR EXTRA CARE WARRANTY

- Max. ambient temp: 40°C
- Agion®-treated materials prevent bacteria growth for maximum hygiene
- Stainless steel construction for corrosion resistance and easy cleaning
- Compatible Ice Storage Bin: SB178, SB243, SB406







Modular 485kg Half-Dice Ice Machines

IM0485HDM

Part No.	Production	Weight
3935188	485kg/24hr*	104kg


	External (mm)	Packaged (mm)
Width	760	830
Depth	620	690
Height	800	770

5 YEAR EXTRA CARE WARRANTY

- Max. ambient temp: 40°C
- Agion®-treated materials prevent bacteria growth for maximum hygiene
- Stainless steel construction for corrosion resistance and easy cleaning
- Compatible Ice Storage Bin: SB178, SB243, SB406

* Production is based on kg/24hr at 10°C air and 10°C Water





Modular Ice Machine Flake 200kg SIMAG

IM0200FM-NR


Part No.	Production	Weight
3935195	200kg/24hr*	49kg

	External (mm)	Packaged (mm)
Width	564	630
Depth	536	610
Height	531	680

5 YEAR EXTRA CARE WARRANTY

- Max. ambient temp: 43°C
- Agion®-treated materials prevent bacteria growth for maximum hygiene
- Stainless steel construction for corrosion resistance and easy cleaning
- Compatible Ice Storage Bin: SB129, SB178, SB243





Modular Ice Machine Flake 300kg SIMAG

IM0300FM-NR

Part No.	Production	Weight
3935196	300kg/24hr*	78kg

	External (mm)	Packaged (mm)
Width	538	610
Depth	663	760
Height	650	820


5 YEAR EXTRA CARE WARRANTY


- Max. ambient temp: 43°C
- Agion®-treated materials prevent bacteria growth for maximum hygiene
- Stainless steel construction for corrosion resistance and easy cleaning
- Compatible Ice Storage Bin: SB129, SB178, SB243, SB406

SPECIAL ORDER

* Production is based on kg/24hr at 10°C air and 10°C Water







Modular Ice Machine Flake 410kg SIMAG

IM0400FM-NR

Part No.	Production	Weight
3935197	410kg/24hr*	94kg

	External (mm)	Packaged (mm)
Width	538	610
Depth	663	760
Height	790	960


5 YEAR EXTRA CARE WARRANTY

- Max. ambient temp: 43°C
- Agion®-treated materials prevent bacteria growth for maximum hygiene
- Stainless steel construction for corrosion resistance and easy cleaning
- Compatible Ice Storage Bin: SB129, SB178, SB243, SB406

SPECIAL ORDER

* Production is based on kg/24hr at 10°C air and 10°C Water





Ice Machine Storage Bin 129kg

SB129

Part No.	Capacity	Weight
3935270	129kg	54kg


	External (mm)	Packaged (mm)
Width	560	610
Depth	841	891
Height	1045*	1095

5 YEAR EXTRA CARE WARRANTY*

- Storage bin capacity: 129kg
- Stainless steel construction for corrosion resistance and easy cleaning
- Insulated with polyurethane to slow down melting and maximise ice lifespan
- Agion®-treated materials prevent bacteria growth for maximum hygiene

* External height includes feet





Ice Machine Storage Bin 178kg

SB178

Part No.	Capacity	Weight
3935271	178kg	62kg


	External (mm)	Packaged (mm)
Width	768	818
Depth	843	893
Height	1043*	1093

- Storage bin capacity: 178kg
- Stainless steel construction for corrosion resistance and easy cleaning
- Insulated with polyurethane to slow down melting and maximise ice lifespan
- Agion®-treated materials prevent bacteria growth for maximum hygiene

5 YEAR EXTRA CARE WARRANTY*

* External height includes adjustable feet





Ice Machine Storage Bin 243kg

SB243

Part No.	Capacity	Weight
3935272	243kg	68kg


	External (mm)	Packaged (mm)
Width	770	820
Depth	873	923
Height	1268*	1318

- Storage bin capacity: 243kg
- Stainless steel construction for corrosion resistance and easy cleaning
- Insulated with polyurethane to slow down melting and maximise ice lifespan
- Agion®-treated materials prevent bacteria growth for maximum hygiene

5 YEAR EXTRA CARE WARRANTY*

* External height includes feet





Ice Machine Storage Bin 406kg

SB406

Part No.	Capacity	Weight
3935273	406kg	104kg

	External (mm)	Packaged (mm)
Width	1235	1285
Depth	865	915
Height	1268*	1318

- Storage bin capacity: 406kg
- Stainless steel construction for corrosion resistance and easy cleaning
- Insulated with polyurethane to slow down melting and maximise ice lifespan
- Agion®-treated materials prevent bacteria growth for maximum hygiene

5 YEAR EXTRA CARE WARRANTY

* External height includes adjustable feet



Filter Housing
29004



Cartridge Filter
45004

Filter Kit
3935950



Complete Water Filtration Kit

Water Filters

Filter Housing

Part No.
29004

Connection
3/4"

Cartridge Filter

Part No.
45004

Micron Rating
5

Connection
n/a

Filter Kit

Part No.
3935950

Flow Rate
3.8Lpm

Include:
Filter Housing (29004)
Cartridge Filter (45004)

5 YEAR EXTRA CARE WARRANTY

Model	Type	Max Prod. 24 Hour*	Storage Capacity	Dimensions (W x D x H)	Ice Type
IM0036SSC-NR	Self-Contained Solid Cube Ice	36kg	13kg	485 x 575 x 721	Solid Cube Ice 
IM0050SSC-NR	Self-Contained Solid Cube Ice	50kg	18kg	485 x 575 x 816	
IM0079SSC-NR	Self-Contained Solid Cube Ice	79kg	33kg	670 x 595 x 893	
IM0134SSC-NR	Self-Contained Solid Cube Ice	134kg	50kg	1042 x 575 x 892	
IM0018HC-NR	Self-Contained Hollow Ice	18kg	4kg	334 x 457 x 554	Hollow Ice 
IM0024HC-NR	Self-Contained Hollow Ice	24kg	6kg	334 x 457 x 599	
IM0032HC-NR	Self-Contained Hollow Ice	32kg	6kg	334 x 457 x 599	
IM0050HC-NR	Self-Contained Hollow Ice	47kg	17kg	485 x 575 x 810	
IM0160HDM	Modular Half Ice	160kg	N/A	558 x 610 x 609	Half Dice Ice 
IM0250HDM	Modular Half Ice	250kg	N/A	558 x 610 x 610	
IM0320HDM	Modular Half Ice	320kg	N/A	760 x 620 x 575	
IM0485HDM	Modular Half Ice	485kg	N/A	760 x 620 x 800	
IM0200FM-NR	Modular Flake Ice	200kg	N/A	564 x 536 x 526	Flake Ice 
IM0300FM-NR	Modular Flake Ice	300g	N/A	538 x 663 x 645	
IM0400FM-NR	Modular Flake Ice	410kg	N/A	538 x 663 x 790	

*Production is based on kg/24hr at 10°C air and 10°C water

Modular Storage Bin Compatibility Chart					
Storage Bin Models		**SB129**	**SB178**	**SB243**	**SB406**
	Kg/24Hr	129Kg	178Kg	243Kg	406Kg
Modular Half-Dice Ice					
IM0160HDM	160Kg	✓	✓ + CBT30EMCD*	✓ + CBT30EMCD*	
IM0250HDM	250Kg	✓	✓ + CBT30EMCD*	✓ + CBT30EMCD*	
IM0320HDM	320Kg		✓	✓	✓ + CBT48EAMCD*
IM0485HDM	485Kg		✓	✓	✓ + CBT48EAMCD*
Modular Flake Ice					
IM0200FM-NR	200Kg	✓	✓ + CBT30EFSD*	✓ + CBT30EFSD*	
IM0300FM-NR	300Kg	✓ + CBT22EFCD*	✓ + CBT30EFSD*	✓ + CBT30EFSD*	✓ + CBT48FMCD*
IM0400FM-NR	410Kg	✓ + CBT22EFCD*	✓ + CBT30EFSD*	✓ + CBT30EFSD*	✓ + CBT48FMCD*

*Additional bin top required with purchase of particular modular bin






Model	IM0036SSC-NR	IM0050SSC-NR	IM0079SSC-NR	IM0134SSC-NR
Part Number	3935382	3935383	3935385	3935384
Ext. Width (mm) Ext. Depth (mm) Ext. Height (mm)*	485 575 721	485 575 816	670 595 893	1042 575 892
Legs (mm)	92-135	92-135	92-135	92-135
Unit Weight	45kg	48kg	63kg	94kg
Packaged Weight	46kg	57kg	74kg	102kg
Ambient Temperature*2	43°C	43°C	43°C	43°C
Energy Consumption	7 kWh/24h	9 kWh/24h	15 kWh/24h	23 kWh/24h
Refrigeration Capacity*3	340W	460W	1500W	1235W
Refrigerant	R290a	R290a	R290a	R290a
Current	2.2A	3.2A	3.26A	5.3A
Electrical Voltage	230V	230V	230V	230V
Frequency	50Hz	50Hz	50Hz	50Hz
Power Supply	Single Phase	Single Phase	Single Phase	Single Phase
Plug Supplied	1 x 10A	1 x 10A	1 x 10A	1 x 10A
Plug Location	Rear, bottom right	Rear, bottom right	Rear, bottom right	Rear, bottom right
Features				
Ice Machine Type	Self-Contained	Self-Contained	Self-Contained	Self-Contained
Water Consumption*4	3 L/h	5 L/h	9 L/h	21 L/h
Maximum Daily Production*5	36 kg/24h	50 kg/24h	79 kg/24h	134 kg/24h
Ice type	Solid Cube	Solid Cube	Solid Cube	Solid Cube
Ice Weight	27g	27g	27g	27g
Storage Bin Capacity	13kg	18kg	33kg	50kg
Warranty				
Parts & Labour (Years)	5	5	5	5
Bromic Extra Care	Yes	Yes	Yes	Yes

* External height excludes feet
*2 Units operate in ambient conditions between 10°C and 40°C
*3 Power Input calculated at 40°C ambient
*4 Water Consumption calculated at 32°C air and 21°C water
*5 Production is based on kg/24hr at 10°C air and 10°C water






Model	IM0018HC-NR	IM0024HC-NR	IM0032HC-NR	IM0050HC-NR
Part Number	3935190	3935191	3935192	3935193
Ext. Width (mm) Ext. Depth (mm) Ext. Height (mm)*	334 457 554	334 457 599	334 457 599	485 575 810
Legs (mm)	-	-	-	89
Unit Weight	28kg	28kg	28kg	45kg
Packaged Weight	33kg	33kg	33kg	53kg
Ambient Temperature*[2]	43°C	43°C	43°C	43°C
Energy Consumption	4.9 kWh/24h	5 kWh/24h	5.95 kWh/24h	6.2 kWh/24h
Refrigeration Capacity*[3]	250W	250W	250W	250W
Refrigerant	R290	R290	R290	R290
Current	1.1A	1.1A	1.4A	1.5A
Electrical Voltage	230V	230V	230V	230V
Frequency	50Hz	50Hz	50Hz	50Hz
Power Supply	Single Phase	Single Phase	Single Phase	Single Phase
Plug Supplied	1 x 10A	1 x 10A	1 x 10A	1 x 10A
Plug Location	Rear, bottom right	Rear, bottom right	Rear, bottom right	Rear, bottom right
Features				
Ice Machine Type	Self-Contained	Self-Contained	Self-Contained	Self-Contained
Water Consumption*[4]	1.9 L/h	3 L/h	3.8 L/h	2 L/h
Maximum Daily Production*[5]	19kg/24h	25kg/24h	32kg/24h	50kg/24h
Ice type	Hollow Cube	Hollow Cube	Hollow Cube	Hollow Cube
Ice Weight	-	-	-	-
Storage Bin Capacity	4kg	6kg	6kg	17kg
Warranty				
Parts & Labour (Years)	5	5	5	5
Bromic Extra Care	Yes	Yes	Yes	Yes

* External height excludes feet
*[2] Units operate in ambient conditions between 10°C and 40°C
*[3] Power Input calculated at 43°C ambient
*[4] Water Consumption calculated at 32°C air and 21°C water
*[5] Production is based on kg/24hr at 10°C air and 10°C water






Model	IM0160HDM	IM0250HDM	IM0320HDM	IM0485HDM
Part Number	3935183	3935185	3935187	3935188
Ext. Width (mm) Ext. Depth (mm) Ext. Height (mm)*	609 610 558	558 610 610	760 620 575	760 620 800
Legs (mm)	N/A	N/A	N/A	N/A
Unit Weight	45kg	65kg	73kg	104kg
Packaged Weight	50kg	70kg	78kg	109kg
Ambient Temperature*[2]	40°C	40°C	40°C	40°C
Energy Consumption	15.9 kWh/24h	13.6 kWh/24h	16.3 kWh/24h	13.9 kWh/24h
Refrigeration Capacity*[3]	950W	1250W	1600W	2500W
Refrigerant	R404a	R404a	R404a	R404a
Current	N/A	N/A	N/A	N/A
Electrical Voltage	220-240V	220-240V	220-240V	220-240V
Frequency	50Hz	50Hz	50Hz	50Hz
Power Supply	Single Phase	Single Phase	Single Phase	Single Phase
Plug Supplied	1 x 10A	1 x 16A	1 x 16A	1 x 30A
Plug Location	Rear, bottom right	Rear, bottom right	Rear, bottom right	Rear, bottom right
Features				
Ice Machine Type	Modular	Modular	Modular	Modular
Water Consumption*[4]	7.6 L/h	11L/h	15.6 L/h	22.3 L/h
Maximum Daily Production*[5]	160 kg/24h	250 kg/24h	320 kg/24h	485 kg/24h
Ice type	Half Dice	Half Dice	Half Dice	Half Dice
Ice Weight	10g	10g	10g	10g
Storage Bin Capacity	SB129 SB178 SB243	SB129 SB178 SB243	SB178 SB243 SB406	SB178 SB243 SB406
Warranty				
Parts & Labour (Years)*[6]	5	5	5	5
Bromic Extra Care	Yes	Yes	Yes	Yes

Storage Bin	SB129	SB178	SB243	SB406
Part Number	3935270	3935271	3935272	3935273
Ext. Width (mm) Ext. Depth (mm) Ext. Height (mm) Including feet	560 843 1045	768 843 1043*[6]	770 873 1268	1235 865 1268*[6]
Storage Bin Capacity	129kg	178kg	243kg	406kg
Liner Material	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel
Gross Weight	54kg	62kg	68kg	104kg
Warranty				
Parts & Labour (Years)	5	5	5	5
Bromic Extra Care	Yes	Yes	Yes	Yes





ARRIVING LATE 2024		SPECIAL ORDER	SPECIAL ORDER
Model	**IM0200FM-NR**	**IM0300FM-NR**	**IM0400FM-NR**
Part Number	3935195	3935196	3935197
Ext. Width (mm) Ext. Depth (mm) Ext. Height (mm)*	564 536 531	538 663 650	538 663 650
Legs (mm)	5	5	5
Unit Weight	49kg	78kg	94kg
Packaged Weight	56kg	87kg	103kg
Ambient Temperature*[2]	43°C	43°C	43°C
Energy Consumption	15.2 kWh/24h	22.7 kWh/24h	30.4 kWh/24h
Refrigeration Capacity*[3]	700W	1000W	1390W
Refrigerant	R290	R290	R290
Current	3.2A	4.5A	6.3A
Electrical Voltage	230V	230V	230V
Frequency	50Hz	50Hz	50Hz
Power Supply	Single Phase	Single Phase	Single Phase
Plug Supplied	1 x 10A	1 x 10A	1 x 10A
Plug Location	Rear, bottom right	Rear, bottom right	Rear, bottom right
Features			
Ice Machine Type	Modular	Modular	Modular
Water Consumption*[4]	7.4 L/h	8.3 L/h	11.7 L/h
Maximum Daily Production*[5]	200 kg/24h	300 kg/24h	410 kg/24h
Ice type	Flake	Flake	Flake
Ice Weight	-	-	-
Storage Bin Capacity	SB129 SB178 SB243	SB129 SB178 SB243 SB406	SB129 SB178 SB243 SB406
Warranty			
Parts & Labour (Years)	5	5	5
Bromic Extra Care	Yes	Yes	Yes

* External height excludes feet
*[2] Units operate in ambient conditions between 10°C and 40°C
*[3] Power Input calculated at 40°C ambient
*[4] Water Consumption calculated at 32°C air and 21°C water
*[5] Production is based on kg/24hr at 10°C air and 10°C water

BROMIC REFRIGERATION
10 Phiney Place, Ingleburn (Sydney)
NSW 2565 Australia
T. 1300 276 642

For further product information
bromicrefrigeration.com.au

5 YEAR EXTRA CARE WARRANTY



V1.4_072026