

BROMIC
REFRIGERATION

Confidence and control.

Multideck Fridges

Semi Verticals | Full Height





Industry Leaders in Plug-in Commercial Refrigeration



Refrigeration Specialists

Since 1999, we have curated a range that spans the wide spectrum of plug-in refrigeration equipment to meet the needs of businesses in hospitality, retail, and healthcare sectors.



Expert Local Support

We offer a tailored equipment solution, taking into consideration your specific needs. We then connect you with a trusted local dealer who stocks the units you require.



Confident Compliance

Our in-house engineering team ensures that our products meet and exceed Australian standards and regulations, including MEPS, GEMS, RCM, Watermark, and others.



Energy Efficiency and Sustainability

We proudly lead the way with our Green Cooling initiative. All our ranges utilise natural refrigerants, which are highly energy-efficient and have a close to 0 GWP (Global Warming Potential).



Available Australia-wide

With a nationwide distribution network, we can deliver our refrigeration products to your door quickly and efficiently.



5 YEAR Extra Care Warranty Service

We offer a one-stop support service for your peace of mind, no matter where you are in Australia.

Legend



NON-PERISHABLE DRINKS



HOT FOODS



DAIRY PRODUCTS



ICE CREAM/GELATO



PERISHABLE PRODUCTS



FROZEN PRODUCTS



BAKERY/CONFECTIONERY



MEDICAL PRODUCTS

ICE TYPES



SOLID ICE



HOLLOW ICE



HALF-DICE ICE



FLAKE ICE









Multideck Display Fridges

Elevate your product display with Bromic's Multideck Display Fridges. Available in full height and semi vertical styles, with a range of widths, these units can be used standalone or be combined to create a stylish, and convenient 'grab-and-go' refrigerated island in your store.

Semi Vertical Multideck Displays

Bromic's Semi Vertical Multideck Displays perfectly combine energy efficiency with contemporary style to create eye-catching display islands within your retail environment.




**Semi Vertical Display Fridge - 938mm - 2 Doors****SVM1000HD-NR**

Part No.	Volume	Weight
3335639-NR	332L	165kg

	External (mm)	Internal (mm)	Packaged (mm)
Width	1022	938	1100
Depth	775	400	830
Height	1500	1050	1950

5 YEAR EXTRA CARE WARRANTY

- Temperature range: -1°C to +10°C
- Max. ambient temp: 25°C
- Climate Class: 3M1
- 3 adjustable and angled shelves tiers plus base
- Digital temperature controller
- Can be combined or used standalone


**Semi Vertical Display Fridge - 1250mm - 2 Doors****SVM1250HD-NR**

Part No.	Volume	Weight
3335640-NR	443L	190kg

	External (mm)	Internal (mm)	Packaged (mm)
Width	1334	1250	1350
Depth	775	400	830
Height	1500	1050	1950

5 YEAR EXTRA CARE WARRANTY

- Temperature range: -1°C to +10°C
- Max. ambient temp: 25°C
- Climate Class: 3M1
- 3 adjustable and angled shelves tiers plus base
- Digital temperature controller
- Can be combined or used standalone

**Semi Vertical Display Fridge - 1875mm - 4 Doors****SVM1875HD-NR**


Part No.	Volume	Weight
3335641-NR	664L	240kg

	External (mm)	Internal (mm)	Packaged (mm)
Width	1959	1875	2000
Depth	775	400	830
Height	1500	1050	1950

5 YEAR EXTRA CARE WARRANTY

- Temperature range: -1°C to +10°C
- Max. ambient temp: 25°C
- Climate Class: 3M1
- 3 adjustable and angled shelves tiers plus base
- Digital temperature controller
- Can be combined or used standalone






Semi Vertical Display Fridge - 2500mm - 4 Doors **SVM2500HD-NR**

Part No.	Volume	Weight	
3335642-NR	885L	290kg	

	External (mm)	Internal (mm)	Packaged (mm)
Width	2584	2500	2650
Depth	775	400	830
Height	1500	1050	1950

5 YEAR EXTRA CARE WARRANTY

- Temperature range: -1°C to +10°C
- Max. ambient temp: 25°C
- Climate Class: 3M1
- 3 adjustable and angled shelves tiers plus base
- Digital temperature controller
- Can be combined or used standalone



SPECIAL ORDER


Semi Vertical Display Fridge - Gondola - 1580mm **SVM1580HD-NR**

Part No.	Volume	Weight	
3335643-NR	559L	220kg	

	External (mm)	Internal (mm)	Packaged (mm)
Width	1580	1496	1650
Depth	775	400	830
Height	1500	1050	1950

5 YEAR EXTRA CARE WARRANTY


- Temperature range: -1°C to +10°C
- Max. ambient temp: 25°C
- Climate Class: 3M1
- 3 adjustable and angled shelves tiers plus base
- Digital temperature controller
- Can be combined or used standalone

**Semi Vertical Display Fridge - 938mm - 2 Doors****SVM1000SD-NR**

Part No.	Volume	Weight
3335644-NR	332L	165kg

	External (mm)	Internal (mm)	Packaged (mm)
Width	1022	938	1100
Depth	775	400	830
Height	1500	1050	1950


- Temperature range: -1°C to +10°C
- Max. ambient temp: 25°C
- Climate Class: 3M1
- 3 adjustable and angled shelves tiers plus base
- Digital temperature controller
- Can be combined or used standalone

5 YEAR EXTRA CARE WARRANTY**Semi Vertical Display Fridge - 1250mm - 2 Doors****SVM1250SD-NR**

Part No.	Volume	Weight
3335645-NR	443L	190g

	External (mm)	Internal (mm)	Packaged (mm)
Width	1334	1250	1350
Depth	775	400	830
Height	1500	1050	1950

- Temperature range: -1°C to +10°C
- Max. ambient temp: 25°C
- Climate Class: 3M1
- 3 adjustable shelves with three angles plus base
- Digital temperature controller
- Can be combined or used standalone


5 YEAR EXTRA CARE WARRANTY**Semi Vertical Display Fridge - 1875mm - 2 Doors****SVM1875SD-NR**

Part No.	Volume	Weight
3335646-NR	664L	240kg

	External (mm)	Internal (mm)	Packaged (mm)
Width	1959	1875	2000
Depth	775	400	830
Height	1500	1050	1950

- Temperature range: -1°C to +10°C
- Max. ambient temp: 25°C
- Climate Class: 3M1
- 3 adjustable and angled shelves tiers plus base
- Digital temperature controller
- Can be combined or used standalone

5 YEAR EXTRA CARE WARRANTY




Semi Vertical Display Fridge - 2500mm - 4 Doors **SVM2500SD-NR**

Part No.	Volume	Weight
3335647-NR	885L	290kg
	External (mm)	Internal (mm)
Width	2584	2500
Depth	775	400
Height	1500	1050
	Packaged (mm)	
	2650	830
	1950	

- Temperature range: -1°C to +10°C
- Max. ambient temp: 25°C
- Climate Class: 3M1
- 3 adjustable and angled shelves tiers plus base
- Digital temperature controller
- Can be combined or used standalone

5 YEAR EXTRA CARE WARRANTY



SPECIAL ORDER

Semi Vertical Display Fridge - Gondola - 1580mm **SVM1580SD-NR**

Part No.	Volume	Weight
3335648-NR	559L	220kg
	External (mm)	Internal (mm)
Width	1580	1496
Depth	775	400
Height	1500	1050
	Packaged (mm)	
	1650	830
	1950	

- Temperature range: -1°C to +10°C
- Max. ambient temp: 25°C
- Climate Class: 3M1
- 3 adjustable and angled shelves tiers plus base
- Digital temperature controller
- Can be combined or used standalone


5 YEAR EXTRA CARE WARRANTY



ISLAND CONFIGURATION CUSTOMISATION & OPTIONS

Contact your Bromic Sales representative to discuss custom configurations, design options and lead times.

Island Configuration:



OPTIONS EXTRA:



Extruded Bumper

Without Bumper

FRONT BUMPER

Combine functionality and aesthetics with our bumper options. Available in black (default) or grey plastic, stainless steel or no bumper.



PLEXIGLASS SHELF STOPPERS

Thin strip of plexiglass fitted to the edges of shelves, preventing products from sliding when tilted. Available in glass, mirrored or solid metal.





MIRROR END WALLS

Create the illusion of a larger space using mirrored internal and intermediate end walls.

Full Height Multideck Displays

Bromic's Full Height Multideck Displays offer a convenient open-front design while providing food-safe storage for perishable foods and drinks. Perfect for self-service refrigerated retail aisles.




**Full Height Multideck Fridge - 938mm****FHM1000-NR****Full Height Multideck Fridge 2 doors - 938mm****FHM1000HD-NR**

Part No.	Volume	Weight
3335649-NR	611L	270kg
3335653-NR	611L	270kg

- Temperature range: -1°C to +10°C
- Max. ambient temp: 25°C
- 5 Stars GEMS, 9 Star GEMS (HD fridge)
- Climate Class 3M1
- Retractable night blind (Open fridge only)
- Invisible Air Curtain technology
- Can be combined or used standalone

	External (mm)	Internal (mm)	Packaged (mm)
Width	1018	938	1188
Depth	915	680	980
Height	2090	1562	2350



5 YEAR EXTRA CARE WARRANTY**Full Height Multideck Fridge - 1250mm****FHM1250-NR****Full Height Multideck Fridge 2 doors - 1250mm****FHM1250HD-NR**

Part No.	Volume	Weight
3335650-NR	814L	336kg
3335654-NR	814L	336kg

- Temperature range: -1°C to +10°C
- Max. ambient temp: 25°C
- 4 Stars GEMS, 9 Star GEMS (HD fridge)
- Climate Class 3M1
- Retractable night blind (Open fridge only)
- Invisible Air Curtain technology
- Can be combined or used standalone

	External (mm)	Internal (mm)	Packaged (mm)
Width	1330	1250	1500
Depth	915	680	980
Height	2090	1562	2350

5 YEAR EXTRA CARE WARRANTY



Full Height Multideck Fridge - 1875mm

FHM1875-NR

Full Height Multideck Fridge 4 doors - 1875mm



FHM1875HD-NR

Part No.	Volume	Weight	
3335651-NR	1222L	468kg	• Temperature range: -1°C to +10°C
3335655-NR	1222L	468kg	• Max. ambient temp: 25°C

	External (mm)	Internal (mm)	Packaged (mm)
Width	1955	1875	2125
Depth	915	680	980
Height	2090	1562	2350

- 4 Stars GEMS, 9 Star GEMS (HD fridge)
- Climate Class 3M1
- Retractable night blind (Open fridge only)
- Invisible Air Curtain technology
- Can be combined or used standalone

5 YEAR EXTRA CARE WARRANTY



Full Height Multideck Fridge - 2500mm

FHM2500-NR

Full Height Multideck Fridge 4 doors - 2500mm

FHM2500HD-NR

Part No.	Volume	Weight	
3335652-NR	1629L	600kg	• Temperature range: -1°C to +10°C
3335656-NR	1629L	600kg	• Max. ambient temp: 25°C

	External (mm)	Internal (mm)	Packaged (mm)
Width	2580	2500	2750
Depth	915	680	980
Height	2090	1562	2350

- 4 Stars GEMS, 7 Star GEMS (HD fridge)
- Climate Class 3M1
- Retractable night blind (Open fridge only)
- Invisible Air Curtain technology
- Can be combined or used standalone

5 YEAR EXTRA CARE WARRANTY

DAIRY



OPTIONS EXTRA:



Extruded Bumper

Without Bumper


FRONT BUMPER

Combine functionality and aesthetics with our bumper options. Available in black (default) or grey plastic, stainless steel or no bumper.



PLEXIGLASS SHELF STOPPERS

Thin strip of plexiglass fitted to the edges of shelves, preventing products from sliding when tilted. Available in glass, mirrored or solid metal.



UNDERSHELF LIGHTING

Effectively illuminate products with a strip of LED lights attached to the underside of shelving.




MIRROR END WALLS

Create the illusion of a larger space using mirrored internal and intermediate end walls.



SPECIAL ORDER



Model	SVM1000HD-NR	SVM1250HD-NR	SVM1580HD-NR	SVM1875HD-NR	SVM2500HD-NR
Part Number	3335639-NR	3335640-NR	3335643-NR	3335641-NR	3335642-NR
Ext. Width (mm)*	1022	1334	1580	1959	2584
Ext. Depth (mm)*	775	775	816	775	775
Ext. Height (mm)*	1500	1500	1500	1500	1500
Volume	332L	443L	559L	664L	885L
Unit Weight	165kg	190kg	220kg	240kg	290kg
Total Display Area	1.44m ²	1.89m ²	2.20m ²	2.69m ²	3.49m ²
Adjustable Temp. Range	-1 to +10°C	-1 to +10°C	-1 to +10°C	-1 to +10°C	-1 to +10°C
Max. Ambient Temp.	25°C	25°C	25°C	25°C	25°C
Climate Class	3M1	3M1	3M1	3M1	3M1
Energy Consumption	2.6kWh/24h	3.1kWh/24h	4.1kWh/24h	4.6kWh/24h	6.9kWh/24h
GEMS Star Rating	10 stars	10 stars	9 stars	9 stars	8 stars
Refrigeration Capacity	580W	583W	340W	829W	842W
Air Circulation	Fan Forced	Fan Forced	Fan Forced	Fan Forced	Fan Forced
Rated Current	2.52A	2.53A	1.48A	3.6A	3.66A
Electrical Voltage	230V	230V	230V	230V	230V
Refrigerant	R290	R290	R290	R290	R290
Frequency	50Hz	50Hz	50Hz	50Hz	50Hz
Power Supply	Single Phase	Single Phase	Single Phase	Single Phase	Single Phase
Power Plug	1 x 10A	1 x 10A	1 x 10A	1 x 10A	1 x 10A
Plug Location	Rear	Rear	Rear	Rear	Rear
Features					
Internal Light	LED	LED	LED	LED	LED
Colour Temperature	4000K	4000K	4000K	4000K	4000K
Number of Doors	2	2	2	4	4
Door Type	Glass	Glass	Glass	Glass	Glass
Door Style	Hinged	Hinged	Hinged	Hinged	Hinged
Door Swing Dimension	625mm	625mm	625mm	625mm	625mm
Self-Closing Door	Yes	Yes	Yes	Yes	Yes
Door Lock	No	No	No	No	No
No. of Shelves Tiers incl. Base	4	4	4	4	4
Shelf Type	Adjustable height & angle	Adjustable height & angle	Adjustable height & angle	Adjustable height & angle	Adjustable height & angle
Shelves Dimensions	933(w) x 250(d), 300(d), 350(d) mm	1245(w) x 250(d), 300(d), 350(d) mm	1570(w) x 250(d), 300(d), 350(d) mm	1866(w) x 250(d), 300(d), 350(d) mm	2490(w) x 250(d), 300(d), 350(d) mm
Air Curtain	Yes	Yes	Yes	Yes	Yes
Feet / Castors	Yes	Yes	Yes	Yes	Yes
Colour	Black	Black	Black	Black	Black
Warranty					
Parts & Labour (Years)	5	5	5	5	5
Bromic Extra Care	Yes	Yes	Yes	Yes	Yes




SPECIAL ORDER



Model	SVM1000SD-NR	SVM1250SD-NR	SVM1580SD-NR	SVM1875SD-NR	SVM2500SD-NR
Part Number	3335644-NR	3335645-NR	3335648-NR	3335646-NR	3335647-NR
Ext. Width (mm)*	1022	1334	1580	1959	2584
Ext. Depth (mm)*	775	775	816	775	775
Ext. Height (mm)*	1500	1500	1500	1500	1500
Volume	332L	443L	559L	664L	885L
Unit Weight	165kg	190kg	220kg	240kg	290kg
Total Display Area	1.44m ²	1.89m ²	2.2m ²	2.69m ²	3.49m ²
Adjustable Temp. Range	-1 to +10°C	-1 to +10°C	-1 to +10°C	-1 to +10°C	-1 to +10°C
Max. Ambient Temp.	25°C	25°C	25°C	25°C	25°C
Climate Class	3M1	3M1	3M1	3M1	3M1
Energy Consumption	2.6kWh/24h	3.1kWh/24h	4.1kWh/24h	4.6kWh/24h	6.9kWh/24h
GEMS Star Rating	10 stars	10 stars	9 stars	9 stars	8 stars
Refrigeration Capacity	580W	583W	340W	829W	842W
Air Circulation	Fan Forced	Fan Forced	Fan Forced	Fan Forced	Fan Forced
Rated Current	2.52A	2.53A	1.48A	3.6A	3.66A
Electrical Voltage	230V	230V	230V	230V	230V
Refrigerant	R290	R290	R290	R290	R290
Frequency	50Hz	50Hz	50Hz	50Hz	50Hz
Power Supply	Single Phase	Single Phase	Single Phase	Single Phase	Single Phase
Power Plug	1 x 10A	1 x 10A	1 x 10A	1 x 10A	1 x 10A
Plug Location	Rear	Rear	Rear	Rear	Rear
Features					
Internal Light	LED	LED	LED	LED	LED
Colour Temperature	4000K	4000K	4000K	4000K	4000K
Number of Doors	2	2	2	2	4
Door Type	Glass	Glass	Glass	Glass	Glass
Door Style	Sliding	Sliding	Sliding	Sliding	Sliding
Door Swing Dimension	-	-	-	-	-
Self-Closing Door	No	No	No	No	No
Door Lock	No	No	No	No	No
No. of Shelves Tiers incl. Base	4	4	4	4	4
Shelf Type	Adjustable height & angle	Adjustable height & angle	Adjustable height & angle	Adjustable height & angle	Adjustable height & angle
Shelves Dimensions	933(w) x 250(d), 300(d), 350(d) mm	1245(w) x 250(d), 300(d), 350(d) mm	1570(w) x 250(d), 300(d), 350(d) mm	1866(w) x 250(d), 300(d), 350(d) mm	2490(w) x 250(d), 300(d), 350(d) mm
Air Curtain	Yes	Yes	Yes	Yes	Yes
Feet / Castors	Yes	Yes	Yes	Yes	Yes
Colour	Black	Black	Black	Black	Black
Warranty					
Parts & Labour (Years)	5	5	5	5	5
Bromic Extra Care	Yes	Yes	Yes	Yes	Yes



Model	FHM1000-NR	FHM1250-NR	FHM1875-NR	FHM2500-NR
Part Number	3335649-NR	3335650-NR	3335651-NR	3335652-NR
Ext. Width (mm)*	1018	1330	1955	2580
Ext. Depth (mm)*	915	915	915	915
Ext. Height (mm)*	2090	2090	2090	2090
Volume	611L	814L	1222L	1629L
Unit Weight	270kg	336kg	468kg	600kg
Total Display Area	2.16m²	2.73m²	4.06m²	5.6m²
Adjustable Temp. Range	-1 to +10°C	-1 to +10°C	-1 to +10°C	-1 to +10°C
Max. Ambient Temp.	25°C	25°C	25°C	25°C
Climate Class	3M1	3M1	3M1	3M1
Energy Consumption	10.77kWh/24h	16.9kWh/24h	21.6kWh/24h	29.86kWh/24h
GEMS Star Rating	5 stars	4 stars	4 stars	4 stars
Refrigeration Capacity	809W	1058W	1631W	2116W
Air Circulation	Fan Forced	Fan Forced	Fan Forced	Fan Forced
Rated Current	3.52A	4.6A	7.09A	9.2A
Electrical Voltage	230V	230V	230V	230V
Refrigerant	R290	R290	R290	R290
Frequency	50Hz	50Hz	50Hz	50Hz
Power Supply	Single Phase	Single Phase	Single Phase	Single Phase
Power Plug	1 x 10A	1 x 10A	1 x 10A	1 x 10A
Plug Location	Rear, bottom left	Rear, bottom left	Rear, bottom left	Rear, bottom left
Features				
Internal Light	LED	LED	LED	LED
Colour Temperature	4000K	4000K	4000K	4000K
Door Type	--	--	--	--
Door Swing Dimension	--	--	--	--
Night Blind	Yes	Yes	Yes	Yes
No. of Shelves Tiers incl. Base	5	5	5	5
Shelf Type	Adjustable height & angle	Adjustable height & angle	Adjustable height & angle	Adjustable height & angle
Shelves Dimensions	933(w) x 500(d) mm	1245(w) x 500(d) mm	1866(w) x 500(d) mm	2490(w) x 500(d) mm
Air Curtain	Yes	Yes	Yes	Yes
Feet / Castors	Yes	Yes	Yes	Yes
Colour	Black	Black	Black	Black
Warranty				
Parts & Labour (Years)	5	5	5	5
Bromic Extra Care	Yes	Yes	Yes	Yes



Model	FHM1000HD-NR	FHM1250HD-NR	FHM1875HD-NR	FHM2500HD-NR
Part Number	3335653-NR	3335654-NR	3335655-NR	3335656-NR
Ext. Width (mm)*	1018	1330	1955	2580
Ext. Depth (mm)*	915	915	915	915
Ext. Height (mm)*	2090	2090	2090	2090
Volume	611L	814L	1222L	1629L
Unit Weight	270kg	336kg	468kg	600kg
Total Display Area	2.16m ²	2.73m ²	4.06m ²	5.6m ²
Adjustable Temp. Range	-1 to +10°C	-1 to +10°C	-1 to +10°C	-1 to +10°C
Max. Ambient Temp.	25°C	25°C	25°C	25°C
Climate Class	3M1	3M1	3M1	3M1
Energy Consumption	3.18kWh/24h	3.3kWh/24h	5.3kWh/24h	9.5kWh/24h
GEMS Star Rating	9 stars	9 stars	9 stars	7 stars
Refrigeration Capacity	257W	276W	340W	581W
Air Circulation	Fan Forced	Fan Forced	Fan Forced	Fan Forced
Rated Current	1.12A	1.2A	1.48A	2.52A
Electrical Voltage	230V	230V	230V	230V
Refrigerant	R290	R290	R290	R290
Frequency	50Hz	50Hz	50Hz	50Hz
Power Supply	Single Phase	Single Phase	Single Phase	Single Phase
Power Plug	1 x 10A	1 x 10A	1 x 10A	1 x 10A
Plug Location	Rear, bottom left	Rear, bottom left	Rear, bottom left	Rear, bottom left
Features				
Internal Light	LED	LED	LED	LED
Colour Temperature	4000K	4000K	4000K	4000K
Door Type	Glass	Glass	Glass	Glass
Door Swing Dimension	469mm	625mm	469mm	625mm
Number of Doors	2	2	4	4
No. of Shelves Tiers incl. Base	5	5	5	5
Shelf Type	Adjustable height & angle	Adjustable height & angle	Adjustable height & angle	Adjustable height & angle
Shelves Dimensions	933(w) x 500(d) mm	1245(w) x 500(d) mm	1866(w) x 500(d) mm	2490(w) x 500(d) mm
Air Curtain	Yes	Yes	Yes	Yes
Feet / Castors	Yes	Yes	Yes	Yes
Colour	Black	Black	Black	Black
Warranty				
Parts & Labour (Years)	5	5	5	5
Bromic Extra Care	Yes	Yes	Yes	Yes

BROMIC REFRIGERATION

10 Phiney Place, Ingleburn (Sydney)
NSW 2565 Australia
T. 1300 276 642

For further product information
bromicrefrigeration.com.au

